UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TH (Other instructions on reverse side)

REC'D. MOOFEB 1 6 1984 Form approved.

25.

Bud	get	Bure	ea u	No.	42-R14
Drilling	В	ond	M-	-04	6557

		U-6791	AND BERIAL, NO.				
APPLICATIO	DACK	6. IF INDIAN, ALLOTTI	E OR TRIRE NAME				
1a. TYPE OF WORK		· · · · · · · · · · · · · · · · · · ·	DEE! L	N, OK FLOG	DACK	NA	
	ILL 🗓	DEEPEN		PLUG BA	CK 🗀	7. UNIT AGREEMENT	NAME
b. Type of well	AS C					NA	
2. NAME OF OPERATOR	VELL X OTHER		ZUN	GLE MULTI	PLE	8. FARM OR LEASE NA	MB
Ambra Oil &	Can Co				· · · · · · · · · · · · · · · · · · ·	Amoco	
3. ADDRESS OF OPERATOR	Gas Company					9. WELL NO.	
	G :. 510 -					Mustang 3-	1
47 W. 200 5.	, Suite 510 Sa	Lt Lake Cit	y, UT	84101		10. FIELD AND POOL,	DE WILDCAT
At surface	eport location clearly and	in accordance wit	th any St	ate requirements.*)		Greater Ci	sco Area
	6601 1777 6	Ol Bor out	1		;	11, SEC., T., E., M., OE AND SURVEY OR AL	BLK.
At proposed prod. zon	e 660' FWL 60	OU FSL SW4	SW4			THE BORYET OF T	K.E.A.
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR					Sec. 3, T20	
9 miles porthy	vest of Cisco, I	REST TOWN OR POS	T OFFICE*		-	12. COUNTY OR PARISH	13. STATE
5. DISTANCE FROM PROPE		- Lan			i	- Grand	Utah
PROPERTY OR LEASE L (Also to negrest drig	INE RT	660'	16. NO.	OF ACRES IN LEASE 200	17. NO. O. TO TH	F ACRES ASSIGNED IIS WELL 40	· · · · · · · · · · · · · · · · · · ·
S. DISTANCE FROM PROP	OSED LOCATION®		19. PROF	OSED DEPTH :	20 ROTAR	TO OR CABLE TOOLS	·
TO NEAREST WELL, NO OR APPLIED FOR, ON THE	S LEASE, FT.	NA	2	.380 '	4	otary	
1. ELEVATIONS (Show whe		,řt, *		<u> </u>	· · · · · · · · · · · · · · · · · · ·	22. APPROX. DATE WO	RK WILL START"
4884 '	GR					March 15, 1	.984
	P	ROPOSED CASIN	G AND	CEMENTING PROGR.	AM		,
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	от	SETTING DEPTH	T	QUANTITY OF CEMEN	T
11"	8-5/8''	24#		160'	70 s		
6-3/4"	412"	1012#		2380'	135 s		dilace
						· · · · · · · · · · · · · · · · · · ·	
	ŀ		1		1 :	•	
						. •	

Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.

A Designation of Operator document from Amoco Production Company is attached.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout

24.					
BIGNED FINAL CONDL	TITLE _	Production	Manager	February	10, 198
(This space for Federal or State office use)	·		<u> </u>		
PERMIT NO.				430	
/s/ Kenneth V. Rhea		Associate	DISTRICT MANAGER	1 83 480 2 APR	1984
CONDITIONS OF APPROVAL, IF ANY :	TITLE _		101.41.41.		
			그 기가 되었다. 경소 기	and the first of the second	

Ambra Oil & Gas

Well: Mustang 3-1 Sec. 3, T. 20 S., R. 23 E. Grand County, Utah Lease: U-6791

Supplemental Stipulation

Suitable colors for painting production facilities would either be Sand Beige or Desert Brown. 1.

ONSITE	
DATE: <u>12/19/84</u>	.
PARTICIPANTS:	TITLES:
·	
Your contact with the District Office	is: Robert (Bob) Graff
Office Phone: <u>801-259-6111 E</u> xt 216	<i>t</i>
City: <u>Mo</u> ab	State: <u>Utah 84532</u>
Resource Area Manager's address and c	ontacts are:
Address: <u>Old Sand Flat Road, P.O.</u>	Box M, Moab, Utah 84532
Your contact is: <u>Wayne M. Svejnoha</u>	
Office Phone: <u>801-259-8193</u> Home Phone 801-259-8476	

'.

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TO ICATE

(Other instructions on reverse side)

Form approved, Budget Bureau No. 42-B1425.

Drilling Bond M-046557


	5. LEASE DESIGNATION AND BERIAL NO.					
	U-6791					
A DDL IC A TIO	L COD DEDLAGE 3	C DDII I	355051 00 01	110 5 4 614	6. IF INDIAN, ALLOTTER OR TRIBE NAME	
	N FOR PERMIT 1	O DRILL, I	DEEPEN, OR PL	UG BACK	NA	
1a. TYPE OF WORK	।। छ	Deeper (7. UNIT AGREEMENT NAME	
b. Type of well	ILL X	DEEPEN [J PLU	G BACK 🗌		
	AS OTHER		SINGLE	MULTIPLE	NA .	
2. NAME OF OPERATOR	ELL X OTHER		ZONE	ZONE	8. FARM OR LEAGE NAME	
Ambra Oil &	Co.a. Commun				Amoco	
3. ADDRESS OF OPERATOR	Gas Company				9. WELL NO.	
				•	Mustang 3-1	
	, Suite 510 Sal				10. FIELD AND POOL, OR WILDCAT	
4. LOCATION OF WELL (R At surface	eport location clearly and	in accordance wit	h any State requiremen	ts.*)	√ Greater Cisco Area	
			1	7	11. SEC., T., R., M., OR BUK.	
At proposed prod. zor	660' FWL 66	60' FSL SW¼	SW¼ ✓		AND BURVEY OR AREA	
					Sec. 3, T20S R23E	
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POST	r office*	-	12. COUNTY OR PARISE 13. STATE	
9 miles north	west of Cisco, U	tah			- Grand Utah	
15. DISTANCE FROM PROPO LOCATION TO NEARES:		1	16. NO. OF ACRES IN L		OF ACRES ASSIGNED	
PROPERTY OR LEASE I	INE. FT.	660'	200	7 70 1	HIS WELL 40	
(Also to nearest drig 18. DISTANCE FROM PROP			19. PROPOSED DEPTH	· / 20 som	ARY OR CABLE TOOLS	
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	NA	2380' ^	ν. Ι .	Rotary	
21. ELEVATIONS (Show who	,		2500 30			
		įλ, *	711.		22. APPROX. DATE WORK WILL START*	
4884	' GR				March 15, 1984	
23.	P	ROPOSED CASIN	G AND CEMENTING	PROGRAM	-	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER PO	OOT SETTING DE	РТН	QUANTITY OF CEMENT	
11"	8-5/8"	24#	160'	70	sx (cement to surface)	
6-3/4"	41211	10½#	2380'	135		
ļ	l l		ı	1 .	- 1971	
				•	· •	
				•		

Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.

A Designation of Operator document from Amoco Production Company is attached.



BIGNED Junka Words	OLL, GAS & MINING Production Manager	February 10, 198
(This space for Federal or State office use)		
PERMIT NO.	APPROVAL DATE	<u>'</u>
APPROVED BY	TITLE	- 19/1 SIL




MUSTANG #3-1

Located North 660 feet from the South boundary and East 660 feet from the West boundary of Section 3, T20S, R23E, SLB&M.

Elev. 4884

grand county, Utah



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF





UDELL S. WILLIAMS

751 Rood Avenue GRAND JUNCTION, COLORADO 81501

PROPOSED LOCATION

MUSTANG #3-1
SW15W1 SECTION 3

TZOS, RZZE, SLB&M

DRAWN BY: USW DATE: 12/6/83

February 10, 1984

BUREAU OF LAND MANAGEMENT Branch of Fluid Minerals 136 East South Temple Salt Lake City, Utah 84111

RE: Mustang 3-1

NTL-6 Supplementary Information for

APD, 9-331-C

Application for Ambra Oil & Gas Company, a Utah corporation, to drill in the SW^{1}_{4} SW^{1}_{4} of Section 3, T2OS R23E, Grand County, Utah is set forth on Form 9-331-C. The purpose of this document is to present additional information as required by the NTL-6 regulation.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A. DRILLING PROGRAM

1. Surface Formation and Estimated Formation Types:

Cretaceous	Mancos Shale Dakota Silt	Surface 1784'
	Dakota Sand	1828
Jurrasic	Morrison Brushy Basin Morrison Salt Wash	1961 ' 2284'
Total Depth	1	23801

2. Estimated Depth at which Oil, Gas, Water or other Mineral Bearing Zones are expected to be encountered:

Expected oil zones: Dak

Dakota, Morrison Brushy Basin, Morrison Salt

Wash

Expected gas zones:

Dakota, Morrison Brushy Basin

Expected water zones:

Dakota, Morrison Brushy Basin, Morrison Salt

Wash

Expected mineral zone: None

All fresh water and valuable minerals (as described by BLM personnel at the onsite inspection) encountered during drilling will be recorded by depth and cased and cemented. All oil and gas shows will be tested to determine commercial potential.

3. Pressure Control Equipment:

The blowout equipment to be used will be an 8" 900 series double gate

Bureau of Land Management Page 2 February 10, 1984

shaffer hydraulic type LWS. Pressure tests to 1000 psi will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventor controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection will be recorded on the daily drilling report. Preventors will be pressure tested before drilling casing cement plugs. Pipe rams will be operational and tested daily. Blind rams will be operational and tested on trips. See the BOP schematic.

4. Casing Program and Auxiliary Equipment:

Surface casing will be 8-5/8", 24# per foot, at 160' and will be cemented to surface with approximately 70 sacks cement. Production casing will be $4\frac{1}{2}$ ", $10\frac{1}{2}$ # per foot, to total depth and will be cemented with approximately 135 sacks cement. Auxiliary equipment will consist of: (1) Kelly Cock - Demco; (2) Floats at the bitsub and string; (3) No monitoring equipment on the mud system; and (4) Sub on floor with a full-opening valve. The fill, kill, and choke lines will be attached to the wellhead below the BOP. The following auxiliary equipment will also be used:

- a. 6000# shut-off valve on stand pipe.
- b. One float at bit and two string floats.
- c. Sub $3\frac{1}{2}$ " IF to 2" valve for controlling blowouts when making round trips.

5. Mud Program and Circulating Medium:

Operator plans to drill with air and air mist as far as possible. A water-based drilling fluid will be used in the event formation water is encountered, to control or kill oil or gas flows, and when running production casing. It will consist of an invert polymer-type biodegradable mud at 8.2 lb per gallon. Weight and mud to 10 lb per gallon will be provided if required. Potassium chloride (KC1) D.G. chemical will be added as required.

6. Coring, Logging, and Testing Program:

No drillstem tests or cores are programmed. Electric logs will consist of dual induction laterlog (DIL), compensated neutron and formation density (CNFD), caliper log (CL), and sonic BHC. If production casing is set, a cement bond log (CBL) and gamma ray log (GR) will be run. Drilling samples will be taken every 10 feet starting 100 feet above the Dakota formation. Microscope analysis will be done by a geologist.

Bureau of Land Management Page 3 February 10, 1984

Whether the well is completed as a dry hole or as a producer, the "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 15 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

7. Abnormal Conditions, Bottom Hole Pressures, and Potential Hazards:

The maximum bottom hole pressure expected is 1500 psi. Flexibility provisions are the BOP and high-pressure fittings and couplings. No hydrogen sulfide problems are expected.

8. Anticipated Starting Dates and Notification of Operations:

Location construction: March 12, 1984 Spud date: March 15, 1984

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 24 hours prior to spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular workday.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 9-329 "Monthly Report of Operations" starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed in duplicate directly with Royalty Management Accounting Center, Minerals Management Service, P. O. Box 2859, Casper, Wyoming 82602 and a copy forwarded to the Moab BLM District Office, P. O. Box 970, Moab, Utah 84532.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed for prior approval by the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than the first business day following the date on which the well is placed on production.

Bureau of Land Management Page 4 February 10, 1984

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the AO within 30 days following completion of the well and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative or the appropriate Surface Managing Agency.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

B. THIRTEEN POINT SURFACE USE PLAN

1. Existing Roads:

a. Location of proposed well in relation to town or other reference point:

The well site is located approximately 9 miles northwest of Cisco, Utah.

b. Proposed route to location:

Exit at the east Cisco Bookcliff exit on I-70. Go north about 200' and turn left at the first intersection of the county road. Proceed northwest on the Cisco Springs County Road approximately 5.3 miles until a pipeline access road is seen to the right that travels due north. Go down the pipeline access road approximately 1 mile until the flagged well access road is seen on the right. See the attached topographic map.

c. Location and description of roads in the area:

Major roads in the area consist of the Cisco Springs and Cottonwood Ranch County roads maintained by the Grand County (Utah) Road Department. Other roads consist of various well access roads maintained to Class III standards by various oil and gas companies.

d. Plans for improvement and/or maintenance of existing roads:

The operator will maintain existing roads according to Class III standards. The pipeline access road will be upgraded to Class III standards.

Bureau of Land Management Page 5 February 10, 1984

2. Planned Access Roads:

- a. Width: 16' travel surface, 20' disturbed width
- b. Maximum grades: $\frac{1}{2}$ to 1 degree. No waterbars are needed.
- c. Turn-outs: No turn-outs are required.
- d. Location (centerline):

Operator will make use of existing roads in the area whenever possible. The new access road will be constructed according to Class III standards and will be approximately 1000' in length from the pipeline access road to the west side of the well pad. See the attached topographic mpa.

e. Drainage:

The use of natural rolling topography, ditch turnouts, drainage dips, and outsloping will ensure proper drainage. No culverts will be required. Drainage devices shall be constructed according to Class III standards.

f. Surface Materials (source):

No surface materials are required. The road will be lightly scraped on the surface.

g. Other: No major cuts or fills are required.

3. Location of Existing Wells:

- a. Producing wells in a one-mile radius:
 - 1. Section 3 Frank Adams 1-037; gas
 - 2. Section 9 Willard Pease 1-355; oil
 - 3. Section 9 Willard Pease 1-506; gas
 - 4. Section 9 Cisco SS 9-3; gas
 - 5. Section 9 TXO 9-1; gas
 - 6. Section 10 Cisco SS 10-2; shut-in oil
 - 7. Section 10 Willard Pease #1-A; gas
 - 8. Section 10 Willard Pease #6; gas
 - 9. Section 10 Willard Pease #5; gas
 - 10. Section 4 Willard Pease No. 143; gas

Bureau of Land Management Page 6 February 10, 1984

b. Producing wells in a two-mile radius:

- 1. Section 2 Frank Adams 2-2; oil
- 2. Section 2 Frank Adams 2-5; oil
- 3. Section 9 Cisco SS 9-4; oil
- 4. Section 9 Inland Fuels 9-5; shut-in gas
- 5. Section 10 Willard Pease 1; oil and gas
- 6. Section 11 Levon #1; oil and gas
- 7. Section 11 Cisco SS 11-5; oil
- 8. Section 14 Willard Pease No. 9; gas
- 9. Section 15 Willard Pease No. 1; oil and gas
- 10. Section 15 TXO "B" No. 1; shut-in oil and gas
- 11. Section 15 TXO "B" No. 2; shut-in gas
- 12. Section 15 Cisco SS 15-8; oil
- 13. Section 15 TXO 15-2; oil and gas

4. Location of Tank Batteries and Production Facilities:

All permanent (on the site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be painted a flat, non-reflective, earthtone color to match the standard environmental colors, as determined by the Rocky Mountain 5 State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 1-1/2 times the storage capacity of the battery.

Tank batteries and/or production facilities will be placed in the southwest corner of the location. See the attached well pad schematic.

All site security guidelines identified in 43 CFR 3162.7 regulations will be followed.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

Oil and gas measurement facilities will be installed on the well location. Oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time

Bureau of Land Management Page 7 February 10, 1984

for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Moab District office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

5. Location and Type of Water Supply:

Ambra Oil and Gas Company has obtained a temporary permit from the Water Rights Division, State of Utah Natural Resources, to use water from Cisco Springs, Section 9, T2OS R23E, Grand County for drilling purposes. A copy of the letter granting approval is attached.

6. Source of Construction Material:

If required, road surfacing and pad construction material will be obtained from a private source in Thompson, Utah (30 miles west on I-70) or through the dirt contractor. The road will be a surface-scraped dirt road from the existing road to the proposed well location. Bladed roads that are watered and packed down are the best roads for this area.

The use of materials under BLM jurisdiction will conform to $43\ \text{CFR}$ 3610.2-3.

Construction material will not be located on the lease.

7. Methods of Handling Waste Disposal:

The reserve pit will not be lined and will be located in the northeast corner. See the attached well pad schematic.

All trash will be contained in a trash cage and will be hauled to a local landfill when work is completed.

Produced waste water will be contained in an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with a required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance and will be grounds for issuing a shut-in order.

8. Ancillary Facilities:

Camp facilities will not be required.

9. Well Site Layout:

See the attached well pad schematic. The reserve pit will be located in the northeast corner.

Bureau of Land Managementg Page 8 February 10, 1984

The top 6-8" of topsoil and any excess material will be stored on the north side of the well pad.

Access to the well pad will be from the west.

No trash pit will be required. A portable trash cage will be used.

The reserve pit will be fenced with a 36" wire mesh fence and topped with one strand of barbed wire.

10. Plans for Restoration of Surface:

- a. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris, materials, trash, and junk not required for production. Before any dirtwork to restore the location takes place, the reserve pit must be completely dry, and all cans, barrels, pipe, etc. will be removed.
- b. All disturbed areas will be recontoured to the approximate natural contours. The stockpiled topsoil will be evenly distributed over disturbed areas. If production is established, the stockpiled topsoil will be evenly distributed over unused areas, and all unused portions of the well pad will be reclaimed. Prior to reseeding, all disturbed areas, including the access road, will be scarified to a depth of 6" and left with a rough surface. The pipeline access road will not be reclaimed.
- c. Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage. The following seed mixture will be used:

Indian ricegrass 2 lbs/acre
Galleta grass 2 lbs/acre
Yellow sweetclover 1 lb/acre
Winterfat 1 lb/acre
Shadscale 1 lb/acre

d. The reserve pit and that portion of the location (to the north) and access road not needed for production or production facilities will be reclaimed.

11. Surface and Mineral Ownership:

Surface and mineral ownership belongs to the Bureau of Land Management.

12. Other Information:

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating

Bureau of Land Management Page 9 February 10, 1984

practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.2.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3164.

The dirtwork and drilling contractors will be provided with an approved copy of the surface use plan prior to any work.

A cultural resource clearance will not be required before any construction begins. If any cultural resources are found during construction, all work will stop, and the AO will be notified.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval of any future operations.

13. Lessee's or Operator's Representative and Certification:

Representative:

Ambra Oil & Gas Company
47 West 200 South, Suite 510

Salt Lake City, Utah 84101

Phone: (801) 532-6640

Attention: Wesley Pettingill


Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by the contractors and subcontractors under my supervision in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for filling of a false statement.


Jehruary 13, 1984

LINDA CONDE

Production Manager




Cut & Fill Diagram muctana 3-1



WELL PAD SCHEMATIC

Mustang 3-1



TANK BATTERY

FENCED
AND
AND
PIET
BERMED

DIT 13


SEPERATOR

SEPERATOR

DEHYDEATOR

METER

G





1636 West North Temple • Salt Lake City, UT 84116 • 801-533-6071

January 27, 1984

Ambra Oil & Gas Company 47 West 200 South Suite 510 Salt Lake City, UT 84101

Dear Applicant:

RE: TEMPORARY APPLICATION NUMBER 01-203 (T59628)

Enclosed is a copy of the above numbered approved Temporary Application. This is your authority to construct your works and to divert the water for the uses described.

While this approved application does give you our permission to divert and use water, it does not grant easements through public or private lands in order to gain access to the source nor to convey the water to the place of use, nor does this approval eliminate the need for such other permits as may be required by this Division or any other agency in implementing your diversion.

This application will expire December 31, 1984, and it is expected that no diversion or use of the water will be done after that date unless another proposal has been made and approved.

Your contact with this office, should you need it is with the Area Engineer, Mark Page. The telephone number is (801)637-1303.

Yours truly,

Dee C. Hansen, P. E

State Engineer

DCH:slm

Enclosure

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE:

May. 29, 1983

Salt Lake City, Utah

SERIAL NO.:

U-6791

and hereby designates

NAME:

Ambra 0il and Gas Company

ADDRESS:

American Plaza III, 47 West 200 South, Suite 510

Salt Lake City, Utah 84101

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 20 South, range 23 East, S.L.M. Section 3: Lot 4, SW/4 NW/4, W/2 SW/4

Section 10: NW/4 NW/4

Grand County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.

AMOCO PRODUCTION COMPANY

(Signature of 1

306

Its Attorney-in-Fact

P. O. box 800, Denver, Colorado 80202

U. S. GOVERNMENT PRINTING OFFICE 16---- ASSAGE-2



UDELL S. WILLIAMS

751 ROOD AVENUE GRAND JUNCTION, COLORADO 81501 PHONE 303 - 243-4594

December 6, 1983

COLORADO UTAH

Re: Mustang #3-1

Swiswi sec. 3, T20s, R23E, SLB&M

Reference point Elevations

50' N = 4886.5

ж,

100' N = 4889.2

150' N = 4891.9

50' 5 = 4882.2

100' S = 4880.4

150' S = 4877.9

50' E = 4884.0


100' $\bar{E} = 4883.1$

150' E = 4881.8

50' W = 4884.5

100' W = 4884.1

150' W = 4883.1



OPERATOR ambra al V Ges	60.	DATE <u>2/14</u>	184
WELL NAME Mustany 3-1			
SEC SUSUL 3 T 205 R	23E COUNTY	Grand	,
43-019-31128 API NUMBER	TYPE	P. OF LEASE	
POSTING CHECK OFF:			
INDEX	MAP	HL	
NID]	PI	
PROCESSING COMMENTS: (Natur &- 01-203 (7 59628) Assignation of Operation (limited) No other wells within 1320	, (
CHIEF PETROLEUM ENGINEER REVIEW:			
APPROVAL LETTER:			<u></u>
SPACING: A-3 UNIT	∠ c-3-a	/02-/6 B CAUSE NO. & DAT	<u> </u>
c-3-b	с-3-с		
SPECIAL LANGUAGE:			

	RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.
	AUTHENTICATE LEASE AND OPERATOR INFORMATION
/	VERIFY ADEQUATE AND PROPER BONDING
	AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.
	APPLY SPACING CONSIDERATION
	V ORDER 102-16 B.
	UNIT
	c-3-b
	с-3-с
	CHECK DISTANCE TO NEAREST WELL.
	CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.
	IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER
	IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.
	VERIFY LEGAL AND SUFFICIENT DRILLING WATER

February 15, 1984

Ambra Oil & Gas Company 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

> RE: Well No. Mustang 3-1 SWSW Sec. 3, T. 20S, R. 23E 660' FSL, 660' FSL Grand County, Utah

Gentlemen:

Approval to drill the above referenced gas well is hereby granted in accordance with Order of Cause No. 102-16B dated November 15, 1979.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify R. J. Firth, Chief Petroleum Engineer, Telephone (801) 533-5771 (Office), 571-6068 (Home).

The API number assigned to this well is 43-019-31128.

Sincerely,

Red. Firth

Chief Petroleum Engineer

RJF/as

cc: Branch of Fluid Minerals

Encl.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF CO	MPANY:		AMBRA	OIL	& GAS C	OMPANY			
WELL NAME:			MUSTA	NG 3-	-1		<u> </u>		
SECTION	SWSW	3 Townshi	P	20S	_ Range	23E	COUNTY	GRAND	
DRILLING (CONTRAC	CTOR	JAMES	DRII	LING	<u> </u>			
RIG #_2									
SPUDDED:	Date_	4-30-84							
	TIME_	9:00 PM	 *						
	How_	Rotary							
DRILLING V	VILL C	OMMENCE		<u></u>					
REPORTED I	BY	Linda Con	de						
TELEPHONE	#	532-6640	· · · · · ·						
DATE	5-1-8	4				SIGNED	AS		

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

	5.	LEASE U-6791	: -	.,,	•	÷ + +	
_	6.	IF INDIAN, A NA	ALLOTTE	E OR	TRIB	E NAME	
	7.	UNIT AGRE	EMENT	NAME		- 4,	
_	8.	NA FARM OR LE Amoco	ASE NA	ME	12.	严禁 划	
	9.	WELL NO.	2 4			***************************************	_
_	10.	Mustang FIELD OR W	ILDCAT	NAM		÷ ; ;	
_	11.	Greater SEC., T., R.,				SURVEY	OR
		Sec. 3,	TZÓS	R23I	19 18	となる。	
	12,	COUNTY OR Grand	PARISI	1.	. STA Jtah		-
_	14.	API NO.		-	₹.	5466	

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	NA
reservoir, Use Form 9-331-C for such proposals./	8. FARM OR LEASE NAME 量 当营业
1. oil gas	Amoco
well LJ other	9. WELL NO.
2. NAME OF OPERATOR	Mustang 3-1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ambra Oil & Gas Company	10. FIELD OR WILDCAT NAME (意识的
3. ADDRESS OF OPERATOR 84101	Greater Cisco Area
47 W. 200 S., Suite 510 Salt Lake City, UT	11. SEC., T., R., M., OR BLK. AND SURVEY OF
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA SECTION S
below.)	Sec. 3, T2OS R23E를 변환했다.
AT SORTACE.	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Grand Print Utah
•	14. API NO. କଳୁବର୍ଷ ଅଧ୍ୟକ୍ତିଶ
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-019-31128 - 공 한복하다
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD
,	4884' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4042 4 1 7 7
TEST WATER SHUT-OFF	고 생활을 가는 항상성원 수
FRACTURE TREAT SHOOT OR ACIDIZE	불리하는 불리화를
REPAIR WELL	1974 B. 1984 B. 1984 B.
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
MULTIPLE COMPLETE	
CHANGE ZONES	· · · · · · · · · · · · · · · · · · ·
ABANDON*	
(other) Spud Report & Change in Surface Casing	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinent	rectionally drilled, give subsurface locations and
	្រាស់ ស្រី មានស្រី មានស្រី មានិសាធិបាន មេ ស្រី មានិសាធិបាន មេ ស្រី មានិសាធិបាន មេ ស្រី មានិសាធិបាន មេ ស្រី មាន
This well was rotary spudded on April 30, 1984 w	rith a 9-7/8" hole by
James Drilling, Rig #2.	
	· · · · · · · · · · · · · · · · · · ·
The surface casing is 7-5/8", 26.4#, rather than	the $8-5/8!!$, $24#$,
originally reported on the APD.	CEIVED
	្រុកស្ត្រីក្រុំ
in the second of	AY 4 1984
₩ //bdu ##F	
DI DI	
ių Di	VISION OF OIL
	AS & MINING
Subsurface Safety Valve: Manu, and Type	Set @ Ft
18. I hereby certify that the foregoing is true and correct	
SIGNED WILL USUAL DILLE Production Mgr	• DATE May 3, 1984

(This space for Federal or State office use) __ TITLE ___ _ DATE . SUBMIT IN DUPLIC (See other instructions on reverse side) 5. LEASE DEE

Form appro Budget Bure	ved.	o. 42-R3	55.5.	13
SIGNATION	AND	SERIAL	NO.	1
1				

			00,0	CAL SURVE	i Y		⁻ 17-	6791	
WELL CO	OMPLETIO	N OR I	RECO	MPLETION	REPORT	ECEIV			LLOTTEE OR TRIBE NAME
1a. TYPE OF WE	CTT.	II.	GAS WELL				NA		MENT NAME
L TYPE OF CO			WELL 4	DRY L.	J Other	UN 2 0 198			MENT NAME
WELL X		EEP-	PLUG [DIFF. ESVR.	Other	136			ASE NAME
2. NAME OF OPERA				+*	OP.	VISION OF	Ar	1000	
	il & Gas C	ompany			G	AS & MININ	OIL 9. WE	LL NO.	- <u> </u>
3. ADDRESS OF OP		+ - 510	Col.	t Toleo Cit			Mt	stang	
LOCATION OF W	00 S., Sui	tion clearly	Dall in bro	scordance with	y, 01 04	101			POOL, OR WILDCAT
At surface			4.1.0	deco. dance with	any State regul	irementa) -	l		Cisco Area
At top prod. ir	nterval reported	pelow	~6 60 !	FSL 660' 1	FWL, SW ₂ SI	₩ 1		AREA	M., OR DEOCH AND SCRAFT
At total depth							Se	c. 3,	T20S R23E SLB
				14. PERMIT	NO.	DATE ISSUED		UNIT OR	13. STATE
. DATE SPUDDED				43-019-1	31128	4/12/84	PA	Gr:	and Utah
4/30/84		,	17. DAT	E COMPL. (Read) 5/30/84	y to prod.) 18		F, REB, RT, GR, E	c.)* 1	9. ELEV. CASINGHEAD
TOTAL DEPTH, MD		UG, BACK T.	D., MD A		ULTIPLE COMPL.	4884 [†]		Y TOOLS	CABLE TOOLS
2380 '				How	MANY*		LED BY 0-238		CABLE TOOLS
	ERVAL(S), OF THIS	S COMPLETI	ON-TOP	, BOTTOM, NAME	(MD AND TVD)		<u>→ </u>	1	25. WAS DIRECTIONAL
									SURVEY MADE
Morrisor									No
	AND OTHER LOGS		4,		A A			27.	WAS WELL CORED
Dual til	duction, Fo	ormatio		.,	and the state of t				No
CASING SIZE	WEIGHT, LB.	/FT. D	CASI EPTH SE	NG RECORD (R	Report all strings		ENTING RECORD	<u> </u>	
7-5/8"	26.4#		1701		-7/8"				AMOUNT PULLED
4211	10.5#		2340		- 7/6" -3/4"	75 sx 0	Tass H		
					2/4	10) 81	·		
							* \\		
		LINER R	ECORD			30.	TUBING	RECORD	
NA NA	TOP (MD)	BOTTOM	(MD)	SACKS CEMENT*	SCREEN (M		DEPTH SE	T (MD)	PACKER SET (MD)
NA I					_	1호"	2008	KB	
		F .	ł		1				
PERFORATION REC	COED (Interval, e	ize and nur	nber)		1 00				
PERFORATION REC	COED (Interval, e	ize and nui	mber)	·	82.		FRACTURE, CE		
				es total		ACID, SHOT,			UEEZE, ETC.
	cord (Interval, e			es total					
				es total					
2008' -					DEPTH INT				
	2016' 2 J	SPF 1	7 hol	PRO	DEPTH INT	TERVAL (MD)	AMOUNT AND	KIND OF	MATERIAL USED
2008! -	2016' 2 J	SPF 1	7 hol		DEPTH INT	TERVAL (MD)	AMOUNT AND	KIND OF	WATERIAL USED
2008! -	2016' 2 J	SPF 1	7 hol	PRO	DEPTH INT	rerval (MD)	AMOUNT AND	KIND OF	WATERIAL USED US (Producing or Shut-in
2008! -	2016 2 J	UCTION MET	7 hol	PRO lowing, gas lift, 1	DEPTH INT	GAS—MC	AMOUNT AND	KIND OF	WATERIAL USED
2008! - FIRST PRODUCT: OF TEST 6/16/84 TUBING PRESS.	2016 ¹ 2 J	CHOKE 1/A	7 hol	PROD'N. FOR TEST PERIOD OIL—BBL.	DEPTH INT	and type of pum; GAS—MCI 275	AMOUNT AND	ELL STAT shut-in)	WATERIAL USED US (Producing or Shut-in
2008 - FIRST PRODUCT: OF TEST 6/16/84 TOUSING PRESS. 40 psi	2016 2 J TON PROD HOURS TESTED 24 CASING PRESSUI	CHOKE 1/2 CHOKE 1/2 RE CALCU 24-HO	7 hol	PROD'N. FOR TEST PERIOD OIL—BBL.	DEPTH INT CDUCTION pumping—size of	and type of pum; GAS—MCF.	AMOUNT AND	ELL STAT shut-in)	UB (Producing or Shut-in
2008; - FIRST PRODUCTS OF TEST 6/16/84 TUBING PRESS. 40 psi DISPOSITION OF GA	2016 2 J TION PROD HOURS TESTED 24	CHOKE 1/2 CHOKE 1/2 RE CALCU 24-HO	7 hol	PROD'N. FOR TEST PERIOD OIL—BBL.	ODUCTION pumping—size of OIL—BBL.	and type of pum; GAS—MCF.	D) WATER-	ELL STAT shut-in)	UB (Producing or Shut-in GRAVITY-API (CORR.)
2008; - FIRST PRODUCTS OF TEST 6/16/84 TUBING PRESS. 40 psi DISPOSITION OF GA Vented	2016 2 J TON PROD HOURS TESTED 24 CASING PRESSUI	CHOKE 1/2 CHOKE 1/2 RE CALCU 24-HO	7 hol	PROD'N. FOR TEST PERIOD OIL—BBL.	ODUCTION pumping—size of OIL—BBL.	and type of pum; GAS—MCF.	AMOUNT AND WATER- WATER- BBL.	ELL STAT shut-in)	WATERIAL USED UB (Producing or Shut-in GAS-OIL RATIO GRAVITY-API (CORR.)
2008 - E FIRST PRODUCT: 6/16/84 V. TUBING PRESS. 40 psi DISPOSITION OF GA Vented LIST OF ATTACHM	2016 2 J TON PROD HOURS TESTED 24 CASING PRESSUI	CHOKE 1/2 CHOKE 1/2 RE CALCU 24-HO	7 hol	PROD'N. FOR TEST PERIOD OIL—BBL.	ODUCTION pumping—size of OIL—BBL.	and type of pum; GAS—MCF.	AMOUNT AND WATER- WATER- BBL.	ELL STAT shut-in) -BBL. OIL	WATERIAL USED UB (Producing or Shut-in GAS-OIL RATIO GRAVITY-API (CORR.)
2008; - FIRST PRODUCT: 6/16/84 TUBING PRESS. 40 psi DISPOSITION OF G. Vented LIST OF ATTACHM Electric	2016 2 J TON PROD HOURS TESTED 24 CASING PRESSUIT AS (Sold, used for MENTS Logs	CHOKI CHOKI CHOKI CHOKI 1/2 RE CALCU 24-H0	7 hol	PRO lowing, gas lift, g PROD'N. FOR TEST PERIOD OIL—BBL.	OIL—BBL.	GAS—MCF.	AMOUNT AND WATER— VATER—BEL. TEST WI HOWEL	ELL STAT shut-in) BBL. OIL INESSED	UB (Producing or Shut-in GRAVITY-API (CORR.)
2008; - FIRST PRODUCTS OF TEST 6/16/84 TUBING PRESS. 40 psi DISPOSITION OF G. Vented LIST OF ATTACHA Electric Thereby certify	2016 2 J TON PROD HOURS TESTED 24 CASING PRESSUI	CHOKI CHOKI CHOKI CHOKI 1/2 RE CALCU 24-H0	7 hol	PRO lowing, gas lift, g PROD'N. FOR TEST PERIOD OIL—BBL.	ODUCTION pumping—size of	GAS—MCF.	AMOUNT AND WATER— WATER—BEL. TEST WI HOWAL from all availab	ELL STAT shut-in) BBL. OIL INESSED	UB (Producing or Shut-in GRAVITY-API (CORR.)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, aren, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

19em 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

Hems 22 and 24: If this well is completed for separate production from more than one interval. So state in item 22, and in item 24 show the producting from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for such interval to be separately produced, showing the additional interval.

Item 29: "Socks Cement": Attached supplemental records for this well should show the defails of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FURNATION	TESTED, CUBINON	(SED, TIME THOU	DELTH INTERVAL TESTED, CUGHION (SED, TIME THOL. OPEN, FLOWING AND SHIT-IN PRESSURES, AND SECONDERS	38. GEOLO	GEOLOGIC MARKERS	
	TOP	BULTOM				
				NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTE
Mancos Shale	Surface	·- <u>-</u>				
Dakota	17821				<u> </u>	
Morrison	19781					
ŢD	23801					
		~ *				
. 194		35 -				
						•

Moad District P. O. Box 970 Moad, Utah 24532

eff. 1/24/91 JAN 24 1991 3152 (U-03759*FZP) (U-15962A) (U-19037) (U-20563A) (U-22683) (U-31262) (U-31732) (U-39459*FZP) (U-42223*FZP) (U-6791) (U-665)

!r. R. Garry Carlson
Petro-X Corporation
970 East 3300 South, Suite 9
Salt Lake City, Utan 84105

Re: Change of Operator from First Zone Production, Inc. to Petro-X Corporation Dear Mr. Carlson:

Fe have reviewed your request to assume operatorship of all Hoab District wells held by First Zone Production, Inc. The 3LM, Utah State Office has advised us that a bond in the name of Petro-X has been accepted. We have no objection to this request, and we offer this letter as our approval.

If you should have any questions, please call Eric Jones at (801) 259-6111.

Sincerely yours,

/S/ WILLIAM C. STRINGER

Assistant District Hanager, Mineral Resources

cc: U-068 U-942

bcc: Wang Maintenance, Freudiger (delete)

EJones:py 1/23/91 Wang #2897f

MAR O 8 1991

DIVISION OF OIL GAS & MINING

5/4

Utah State Office
P. O. Box 45155
Salt Lake City, Utah 84145-0155

3104 (U-942)

JAN 14 1991

DECISION

Petro-X Corporation : \$25,000 Statewide 970 East 3300 South, S-9 : 011 and Gas Bond Salt Lake City, Utah 84106 :

Statewide Personal Cash Bond Accepted First Zone Production's \$25,000 Personal Bond Terminated

On January 7, 1991, the Moab and Vernal Districts approved a change of operator from First Zone Production to Petro-X Corporation (Petro-X) on all leases operated by First Zone Production.

First Zone Production has authorized this office to transfer the cash proceeds from its bond to Petro-X as soon as the change of operator is approved. This change was approved January 7, 1991, a proper bond form has been filed by Petro-X, and the bond is accepted effective January 7, 1991.

The funds will be retained in a suspense account until all terms and conditions of the leases have been fulfilled or until satisfactory replacement bond coverage has been accepted.

The bond constitutes coverage of all operations conducted by or on behalf of Petro-X on Federal oil and gas leases in the State of Utah where Petro-X has interest in, and/or responsibility for operations on, leases issued under the authority of any of the Acts cited on the bond form. Please note that Federal leases do not include Indian leases.

The period of liability on First Zone Production's bond is terminated effective January 7, 1991.

/s/ ROBERT LOPEZ

Chief, Hinerals Adjudication Section

cc: All District Offices U-920 (Al McKee)

PETRO - X CORPORATION

970 East 3300 South Suite #9 Salt Lake City, Utah 84106

Telephone: 801-467-7171



DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT UTAH STATE OFFICE 324 SOUTH STATE STREET SUITE 301 SALT LAKE CITY, UTAH 84111-1203

ATTN: MS. IRENE J. ANDERSON LAND LAW EXAMINER

JANUARY 4, 1991

RE: SELF CERTIFICATION

GENTLEMEN:

BE ADVISED THAT INSOFAR AS PETRO-X CORPORATION IS CONCERNED, PETRO-X CORPORATION WILL PERFORM OPERATIONS ON THE WELLS AND THE LEASES CONVEYED IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS SET FORTH ON THE FEDERAL LEASES INVOLVED.

THE BOND COVERAGE FOR THESE WELLS WILL BE PROVIDED FOR BY A \$25,000.00 CASH BOND ON FILE WITH THE UTAH STATE OFFICE, WHICH WILL HOLD THE AFOREMENTIONED OPERATOR AND BOND LIABLE UNDER THE PROVISIONS OF 43 CFR 3106. 7-2 FOR THOSE CONTINUING RESPONSIBILITIES AND OPERATIONS.

RESPECTFULLY SUBMITTED,

PETRO-X CORPORATION

Y: //L

R. GARRY CARLSO

PRESIDENT

APPEST:

DEAN H. CHRISTENSEN, SECRETARY

CC: VERNAL DISTRICT MOAB DISTRICT

FIRST ZONE PRODUCTION, INC

RECEIVED.

DIVISION OF OIL GAS & MINING

PETRO - X CORPORATION

970 East 3300 South Suite #9 Salt Lake City, Utah 84106

Telephone: 801-467-7171



BUREAU OF LAND MANAGEMENT MOAB DISTRICT OFFICE P. O. BOX 970 MOAB, UTAH 84532

JANUARY 4, 1991

RE: CHANGE OF OPERATOR

GENTLEMEN:

YOUR OFFICE IS HEREWITH NOTIFIED THAT PETRO-X CORPORATION IS TAKING OVER AS THE OPERATOR FOR ALL OF THE PROPERTIES HERETOFORE OPERATED BY FIRST ZONE PRODUCTION.

A LIST OF THE LEASES AND WELLS IS HEREWITH ATTACHED. THIS DOCUMENT WAS GENERATED BY THE UTAH STATE OFFICE.

ADDITIONALLY, YOUR OFFICE IS DIRECTED TO CONTACT MS. IRENE J. ANDERSON, LAND LAW EXAMINER, AT THE UTAH STATE OFFICE, 539-4108 OR FTS 581-4108, CONCERNING THE BONDING OF PETRO-X CORPORATION.

SINCERELY,

R. GARRY CARLSON

PRESIDENT

CC: FIRST ZONE PRODUCTION, INC.

CCCo

UTAH STATE OFFICE

RECEIVED
NAR JA 1991

DIVISION OF OIL GAS & MINING

	and had deed over man man year bear and bear and when the same well bear de-			ay aman mang dalah yang pada dalam yakal dalam sakal mada sakal mada kura burah kiri		and the state of t		
e	Petro X Corp	paproned 112	14141			41		
AmbratoFZ 4-1-88	LITTICS OF THE		3-1	GSI SGW	-20S	23E	3	SWSW
<u> </u>	UTU42223*FZP	43-019-31142	9-6 9-5	GSI GSI	20S 20S	23E 23F	9 9	NESW SWNW
~	UTU39499*EZP_	43-019-30513	.1	GSI	20S	21E	27	NENE
<u> </u>	UTU31738	43-619-31037	1-3			21E 21E	1	SWSW .
<i>⊱</i> ——		43-019-30603 43-019-3056do	1-2 1-1	GSI POW	20S 20S	21E 21F	1	SESW
(a)	UTU31262	43-019-31258 43-019-31201	9-3 9-2A	GSI	21S 21S	23E - 23E	9 9	SENW SENE
Ø	.บาบ22๋683	43-019-30151	18	PGW	20\$	23E	31	NWSE
<u></u>	UTU20563A	43-019-31025	4-1	. TA 28.	218	23E ₃ Se ₃ Colored		SWSW
<u> </u>	UTU19037	43-019-31015	7	GSI OSI	20S 20S	23E 23E	3	SWSE SESW
6		43-0 19-30864	2	. POW	205	23E	3	SESW
(2	UTU14962A	43-019-31284 43-019-31262	22-3 22-1-05	DRG POW	21S 	23E 23E	22 22	SENW SENW
		43-019-31283	22-1 Ameto 12- 22-2	DEG	21S 21S	23E 	22 22	SENW SENW
e	UTU03759*FZP	43-019-30159 43-019-30325 43-019-30141	22 JU-7A	GSI P+A	215 	23E 23E 23E	11 5_ 5	SWNW NWNE NWNW
P	43-019-20416 D)ECEIVE	JV-10 IV-8A IV-5	PGW PGW GSI	21S 	23E 23E 23E	4_ 10	NWNW NWNW
	15-01 (2 5012)	MAR .1 1 1991			# 100 000 000 000 000 000 000 000 000 00			
	FL ENE CORP UTU44320	DIVISION OF	1-8	GSI	215	07E	8	NENE
e		OIL GAS & MINING	14-27	GSI	17S	08E	27	SESW
e	UTU16172	***************************************	1-34	GSI	158	09E	34	NENE
<u> </u>	FOSSIL FUELS IN	1C		•				
40.	UTU49928	1107	1-4	P+A	20S	7E	4	SENW .
e			r 14					

P+A

27S

24E

15 NWNW

1

(

UTU42601

Division of 0il, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

i	Well File [] Suspense XXX Other (Return Date) OPERATOR CHANGE FILE (API No.)
1.	Date of Phone Call: 3-13-91 Time: 2:00
2.	DOGM Employee (name) L. ROMERO (Initiated Call XXX Talked to:
	Name VERLENE BUTTS (Initiated Call []) - Phone No. (801) 259-6111 EXT.21 of (Company/Organization) BLM/MOAB
3.	Topic of Conversation: OPERATOR CHANGE FROM AMBRA OIL & GAS (N0030) TO FIRST ZONE PRODUCTION (N3255). FEDERAL LEASE #U-6791.
4.	Highlights of Conversation: ASSIGNMENT WAS MADE TO FIRST ZONE ON 4-1-88. *910314 KERRY MILLER/AMBRA OIL & GAS COMPANY - CONFIRMED OVER THE PHONE THAT THE MUSTANG 3-1/43-019-31128 "FED LEASE #U-6791", WAS NO LONGER THEIR WELL, BUT THAT THEY HAVE BEEN REPORTING BECAUSE IT KEEPS SHOWING UP ON THEIR MONTHLY TURNAROUND REPORT. IT IS A SGW AND HAS BEEN SINCE COMPLETION OF WELL 5-30-84. HE SAYS THE WELL BELONGS TO DEAN CHRISTENSEN. **(SEE OPERATOR CHANGE FROM FIRST ZONE TO PETRO-X CORPORATION) ** EFFECTIVE 1-24-91

······································	
CIVISION OF 011, Gas and Mining OPERATOR CHANGE HORKSHEET	Routing:
Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.	2- DPSD75 3- VLC 4- RJF V
XXXChange of Operator (well sold) □ Designation of Agent □ Designation of Operator □ Operator Name Change Only	5_ RWM C 6_ LOR Jef
The operator of the well(s) listed below has changed (EFFECTIVE DATE: $4-1-88$)
TO (new operator) FIRST ZONE PRODUCTION, INC. (address) FROM (former operator) AMBRA OIL & (address) SALT LAKE CITY, UT 84115 DEAN CHRISTENSEN phone (801) 467-7171 account no. N 3255 TROM (former operator) AMBRA OIL & (address) SALT LAKE CI KERRY MILLER phone (801) account no.	#307 NORTH TY, UT 84101200 532-6640
Hell(s) (attach additional page if needed):	
Name: MUSTANG 3-1/MRSN API: 4301931128 Entity: 9860 Sec 3 Twp 205Rng 23E Le Name: API: Entity: Sec Twp Rng Le	ase Type: ase Type: ase Type: ase Type: ase Type:
OPERATOR CHANGE DOCUMENTATION	
NA 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received operator (Attach to this form). (See phone documentation)	d from <u>former</u>
NA 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from (Attach to this form).	m <u>new</u> operator
N/A 3. The Department of Commerce has been contacted if the new operator above is operating any wells in Utah. Is company registered with the state? (yes, yes, show company file number:	not currently /no) If
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding (attach Telephone Documentation Form to this report). Make note of locomments section of this form. Management review of Federal and Indian changes should take place prior to completion of steps 5 through 9 below.	BLM status in well operator
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) listed above. (3-18-91)	for each well
$\frac{\int L}{\int L}$ 6. Cardex file has been updated for each well listed above.	
LL 7. Well file labels have been updated for each well listed above.	
8. Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. (3-18-91)	
9. A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original do	page has been ocuments.

TY REVIEW

			y assignmen									
	changes . Entity		(yes/no) <u>//</u>	<u>0</u> (If	entity	assignme	ents	were	changed	, attach	<u>copie</u>	s of
TOTH U	, chility	ACCION	1011117.									

2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

D VERIFICATION (Fee wells only)

- ₹ 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
 - 2. A copy of this form has been placed in the new and former operators' bond files.

3.	The form	er operator	has	requested	а	re	lease	e of	liability	from	thei	r boi	nd (ye	s/no	o)
1	Today's	date		19_			Ιf	yes,	division	resp	onse	was	made	bу	letter
er_	dated		19	9											

**SE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated ______ 19___, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

LING

___ 1. All attachments to this form have been microfilmed. Date: ____ March 26 ___ 199/ ...

ILING

- 地2. The original of this form and the original attachments have been filed in the Operator Change file.

JMMENTS

"See also change of operator, First Zone to Petro-x Corp. approved by BIm cft. 1-24-91."

OPERATI	OR CHANGE HORKSHEET all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	Routing: 1- 1014 2- 0180 (5 3- VLC
	ge of Operator (well sold) ☐ Designation of Agent ☐ Operator Name Change Only	4- RJF 5- RWM J 6- LCR JA
The op	erator of the well(s) listed below has changed (EFFECTIVE DATE: $1-24-91$)
TO (ne	DEAN CHRISTENSEN DEAN CHRISTE	TEMPLE TY,UT 84115 NSEN .)467-7171
) (attach additional page if needed):	
Name: Name: Name: Name: Name:		ease Type: ease Type: ease Type: ease Type: ease Type:
N/A 1.	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been receive operator (Attach to this form). (8th Approval)	
<u>M/H</u> 2.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from (Attach to this form). (Bin Approval)	om <u>new</u> operator
	The Department of Commerce has been contacted if the new operator above is operating any wells in Utah. Is company registered with the state? The yes, show company file number:	s not currently Ano) If
Let 4.	(attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and Indian changes should take place prior to completion of steps 5 through 9 below.	BLM status in
lef 5.	listed above. (3-18-91)) for each well
fer 6.	Cardex file has been updated for each well listed above.	
	Well file labels have been updated for each well listed above.	
el 8.	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. $(3-18-9)$	
1 <u>cf</u> 9.	A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original d	s page has been ocuments.

TATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
TITY REVIEW
fl. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) <u>No</u> (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
/ /12. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
D VERIFICATION (Fee wells only)
Al. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
A2. A copy of this form has been placed in the new and former operators' bond files.
A3. The former operator has requested a release of liability from their bond (yes/no) former operator has requested a release of liability from their bond (yes/no) former operator has requested a release of liability from their bond (yes/no) former operator has requested a release of liability from their bond (yes/no)
SE INTEREST OHNER NOTIFICATION RESPONSIBILITY
(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
75. Copies of documents have been sent to State Lands for changes involving State leases.
HING .
1. All attachments to this form have been microfilmed. Date: March 26 199/.
ING
4. Copies of all attachments to this form have been filed in each well file.
Le. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
!ENTS
910312 Bfm approved eff. 1-24-91. (see a Hacked)
1/34-35

STATE UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
11- 7
7. Indian Allottee or Tribe Name
11/4
wells. 8. Unit or Communitization Agreement
N/A
9. Well Name and Number
Mustane 3-1
10. API Well Number
430/93/128
11. rield and root, or wildcat
C .
County: Grand
State : UTAH
REPORT, OR OTHER DATA
(Submit Original Form Only)
☐ New Construction
☐ Pull or Alter Casing ☐ Shoot or Acidize
ection
→ Water Shut-Off
al status report
. V
tion
Completions and Recompletions to different reservoirs OR RECOMPLETION AND LOG form.
by a cement verification report.
ent dates. If well is directionally drilled, give subsurface
• -
A 11/ 1 1 1
with Utal Admin.
sorts. The above named
secause it needs

SUNDRY NOTICES AND REPORTS OF	N WELLS N/A
use this form for proposals to drill new wells, deepen existing wells, or to rear	
Upe APPLICATION FOR PERMIT— for such propos	N/A
Type of Well	9. Well Name and Number
Other (specify)	Mustang 3-/
Name of Operator	4301931128
Address of Operator	4. Telephone Number 11. Field and Pool, or Wildcat
709 South West Temps, SLC, UT 84/15	467-7/7/ Breater Cisco Shee
Footage :	County: Grand
QQ. Sec. T., R., M. : Sec 3 720 5 R 23 E	State : UTAH
CHECK APPROPRIATE BOXES TO INDICATE NA	
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction	Abandonment * New Construction
Casing Repair Pull or Alter Casing Change of Plans Recompletion	Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize
Conversion to Injection Shoot or Acidize	Conversion to Injection Vent or Flare
Fracture Treat Vent or Flare	Fracture Treat Water Shut-Off
Multiple Completion Water Shut-Off	Other Spanel Status report
Other	Date of Work Completion
Approximate Date Work Will Start	
	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
	Must be accompanied by a cement verification report.
3. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perti- locations and measured and true vertical depths for all markers and zones perti-	nent details, and give pertinent dates. If well is directionally drilled, give subsurface nent to this work.)
This report is being filed in	complance with Utal Admin
R-615-8-10 by abovering of	complance with Utal Admin. Innual reports. The above named
1003 8 10 pt. 322.02 0j.	grand significant states of the second
well is currently shut in. 8 04	is shut in because it needs
recompletion and a gas line to	unloal the gas.
the second secon	

14. I hereby certify that the foregoing is true and correct

		5. Lease Designation and Serial Number:
SUNDRY NOTICES AND REPORTS	8. If Indian, Allottee or Tribe Name:	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reented. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	7. Unit Agreement Name;	
1. Type of Well: OIL GAS OTHER:		8. Well Name and Number: MIJSTAA1 6 34
2. Name of Operator: PETRO-X CORPORATION		9. API Well Number: 31128 43-619-15597
3. Address and Telephone Number;		10. Field and Pool, or Wildcat:
1709 SOUTH WEST TEMPLE, SLC, UT	<u>84115 467-7171</u>	GR. CISCO
Footages:		- anam
·		County: GRAND UTAH
CQ, Sec., T., R., M.: GEZ 3, TZOS KZBE		State: OTAII
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	·	JENT REPORT iginal Form Only)
☐ Abandonment ☐ New Construction	☐ Abandonment *	☐ New Construction
☐ Casing Repair ☐ Pull or Alter Casing	Casing Repair	☐ Pull or Alter Casing
☐ Change of Plans ☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize
☐ Conversion to Injection ☐ Shoot or Acidize	☐ Conversion to Injection	── Vent or Flare
☐ Fracture Treat ☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	☐ Other	
Other STATE MANDATED STATUS		
KEPORT - ShutIN WEZL	Date of work completion	
Approximate date work will start	Report results of Multiple Completions and COMPLETION OR RECOMPLETION AND LC	Recompletions to different reservoirs on WELL, X3 form.
	* Must be accompanied by a cement verificati	on report.
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and givertical depths for all markers and zones pertinent to this work.) THIS WELL IS CURRENTLY SHUTIN. NO WILL BE NECESSARY TO PLACE INTO OP FOR THIS WELL. THIS WELL TO REM PIPELINE RIGHT OF WAY AND A GAS CO	PIPELINE EXISTS TO ERATION. NO GAS CO AIN IN A SHUTIN ST	THIS WELL AND NTRACT EXISTS
		DIVISION OF
Name & Signature	SECRETARY	1/10/93 Date:

(This space for State use only)

Form 3160-5 (June 1990)

UNITED STATES



DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
SUNDRY NOTICES	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
	ill or to deepen or reentry to a different reservoir.	
	R PERMIT—" for such proposals	
		7. If Unit or CA, Agreement Designation
SUBMIT	IN TRIPLICATE	7. If that of CA, Agreement Designation
1. Type of Well		
Oil Sas Other		8. Well Name and No.
2. Name of Operator	···	
DUMBA W SISSESSEE MITOR	167	9 API Well No.
3. Address and Telephone No. BOX 520205, SI	C. UT 84152-0205 467-7171	A3+019-31128
		10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	escription)	CR CISCO
SWSW, SECTION 3, T2	OS. R23E	1.1. County or Parish, State
	Maria de la compania	GRAND, UT
		L The
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOT促起汗毒PQ	MI OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
1 21	Π	
Notice of Intent	☐ Abandonment Recompletion	☐ Change of Plans ☐ New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Consequent Report	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state al	l pertinent details, and give pertinent dates, including estimated date of starting	
give subsurface locations and measured and true vertice	al depths for all markers and zones pertinent to this work.)*	
	DS TO PERFORATE 1ST Kd (1832-56	
	AY STIMULATE THE ZONE WITH A	HYDRAULIC FRAC
UTILIZING DIRSEL, L	EASE OIL, OR KCL. ALL ZONES IN	MELT MITT BE
CO-MINGRLED		,
ACCE	PTED BY THE STATE	
& OF 8	JTAH DIVISION OF	
- Air	GAS, AND MINING	
	3-11-9-3	
DATE: <u></u>	7777	
BY:	TOV Y) att land	
	- Julian State	_
14. I hereby certify that the foregoing is true and forfect		0 15 000
Signed Allew HChul	Title PRESIDENT	Date
(This space for Federal or State office use)		
Approved by	Title	Date
Conditions of approval, if any:		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF I	5. Lease Designation and Serial No.	
SUNDRY NOTICES Do not use this form for proposals to dr	6. If Indian, Allottee or Tribe Name	
	R PERMIT—" for such proposals	
	IN TRIPLICATE SEP 1 5 1393	7. If Unit or CA, Agreement Designation
1. Type of Well Oil Gas		8. Well Name and No.
Other One of Operator Other	DIVISION OF	<u> </u>
•	OIL, GAS G MINIMA	9. API Well No.
3. Address and receptore No. RESOURCES, II 2021 WESTRIDGE, PLAN	O TEXAS 75075 214-516-0246	43-019-31128 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De	escription)	GR CISCO
SWSW, SECTION 3, T20	OS, R23E	GRAND, UT
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N .
	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) ting any proposed work. If well is directionally drilled,
OPERATOR OF WELL NUM IN SECTION 9, T20S, UNDER THE TERMS AND CONDUCTED ON THESE	PRCES, INC., ASSUMES THE RESPONDER MUSTANG 3-1, LEASE NUMBER UT R23E, GRAND COUNTY, UTAH, AND CONDITIONS OF THE LEASE FOR LEASED LANDS. IS PROVIDED BY BOND NUMBER UT-	TU-6791, LOCATED D IS RESPONSIBLE R ALL OPERATIONS
14. I hereby certify that the foregoing is true and correct Signed	Title Title	Date
(This space der Federal of State office lule) Approved by	Associate District Manag	ger 8/12/93 Date 8/25/93
	TOWNS OF A TOWN	ATTACUTY

Saturn Resources Corporation Well No. 3-1 Sec. 3, T. 20 S., R. 23 E. Grand County, Utah Lease U-6791

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Saturn Resources Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UTO841 (Principle - Saturn Resources Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable $\underline{\text{until}}$ the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

FORM 9	TE OF OTAM	•				
	DIVISION OF OIL, GAS AND M	IINING				
			5, Lease Designation and Serial Number:			
SUNDRY	NOTICES AND REPORT	SON WELLS	6. If Indian, Allottee or Tribe Name:			
De automobile form for annual	osals to drill new wells, deepen existing wells, or to	CEP (1.8.1993.	7. Unit Agreement Name:			
Do not use this form for propout Use APPL	SAIS TO CHILD WELL, GEEPEN EXISTING WELLS, OF TO SCATION FOR PERMIT TO DRILL OR DEEPEN form	n for such proposals.				
1. Type of Well: OIL GAS	¶ OTHER:	DIVISION OF	8. Well Name and Number:			
2. Name of Operator: PETRO—X COR	RPORATION	OL. GAS & MINING	9. API Well Number:			
	520205, SLC, UT 8415	2-0205 467-7171	10. Field and Pool, or Wildcat: GR CISCO			
4. Location of Well			GR CISCO			
Footages:			County: GRAND			
QQ, Sec.,T.,R.,M.:			State:			
		T NATURE OF NOTICE BER				
11. CHECK APPRO	OPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	ORI, OR OTHER DATA			
NOTI	CE OF INTENT		EQUENT REPORT			
(Sub	emit in Duplicate)		it Original Form Only)			
☐ Abandonment	□ New Construction	☐ Abandonment *	☐ New Construction			
Casing Repair	Pull or Alter Casing	Casing Repair	□ Pull or Alter Casing			
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize			
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare			
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off			
	☐ Water Shut-Off	Other				
Other CHANC	OR OPERATOR					
7111		Date of work completion				
Approximate date work will start	Addition to the second	Report results of Multiple Completions COMPLETION OR RECOMPLETION AN	and Recompletions to different reservoirs on WELL ID LOG form.			
		* Must be accompanied by a cement ver	ust be accompanied by a cement verification report.			
vertical depths for all markers and zone			lied, give subsurface locations and measured and true			
FOLLOWING	SIX (6) WELLS WHICH	HARE DESIGNATED AS	FOLLOWS:			
	✓MUSTANG 3-1	API # 43-019-311	28 Sec. 3, T205, R23E			
	ADAMS 2-027	APT # 43-019-308	64 Sec 3 , 1203, 220 ~_			
	3D3MC 3-037	API # 43-019-309	925665. 120218 000			
	ADAMS 7-037	API # 43-019-310	15 Sec 3, T205, R23 E 42 Sec 9, T205, R23 E			
	INLAND FUELS 9- INLAND FUELS 9-	-6 API # 43-019-311 -5 API # 43-019-310	85 Sec 9, T205, R 23E			
	N RESOURCES CORP HAS					
	F 16 AUGUST, 1993					
Λ	Calal-f	DDRCID	Z.1.102			

(This space for State use only)


PETRO- X CORPORATION

P.O. Box 520205

Salt Lake City, Utah 84152-0205

Telephone: 801-467-7171

Fax: 467-7193



DIVISION OF OIL, GAS & MINERO

DIVISION OF OIL, GAS, AND MINING 350 WEST NORTH TEMPLE, S-355
SALT LAKE CITY, UTAH 84180-1203

ATTN:

MS. VICKIE CARNEY PRODUCTION RECORDS

AUGUST 24, 1993

RE:

CHANGE OF OEPRATOR

NOTICE

DEAR VICKIE:

ATTACHED PLEASE FIND THE MONTHLY OIL AND GAS PRODUCTION REPORTS AND THE MONTHLY DISPOSITION REPORTS FOR PETRO-X CORPORATION AND CCCo.

PLEASE NOTE THE FOLLWOING WELLS HAVE BEEN TRANSFERRED TO DIFFERENT OPERATORS, AND THE APPROPRIATE NOTICES HAVE BEEN FILED WITH THE BUREAU OFLAND MANAGEMENT, MOAB DISTRICT, AND VERNAL DISTRICTS. THESE CHANGES ARE AS FOLLOWS:

OPERATOR	WELL NAME	API NUMBER
SATURN RESOURCES CORP.	MUSTANG 3-1 FEDERAL 2-037 FEDERAL 3-037 FEDERAL 7-037 INLAND FUELS 9-5 INLAND FUELS 9-6	43-019-31128 43-019-30864 43-019-30992 43-019-31015 43-019-31085 43-019-31142
MAR/REG OIL COMPANY BRENNEN	BULL CANYON 1-1 BULL CANYON 1-3 STATE 2-20-21-2 BULL CANYON 1-2 FEDERAL 5-21 FEDERAL 2-20 FEDERAL 15-8	43-019-30566 43-019-31037 43-019-30699 43-019-30603 43-047-31341 43-047-31275 43-047-31272
AMBRA OIL AND GAS COMPANY	TUMBLEWEED #1	43-019-30513

PAGE 2 CHANGE OF OPERATOR

THANK YOU FOR YOUR ASSISTANCE WITH THESE CHANGES FOR NEXT MONTHS REPORTS.

SINCERELY

DEAN H. CHRISTENSEN

PRESIDENT

OPERATOR CHANGE HORKSHEET		Orași.		uting: LEG ² 7-SJ
Attach all documentation received by the division Initial each listed item when completed. Write N	regarding this cha /A if item is not a	nge. pplicable.	2. 3. 4.	DTS 8-FILE VLC RJF;
OXXChange of Operator (well sold) ☐ Designation of Operator	□ Designatio □ Operator N	n of Agent ame Change Only		PL
The operator of the well(s) listed below	w has changed (EFFECTIVE DATE:	8-16-93	_)
TO (new operator) (address) SATURN RESOURCES CORP. 960 BELFORD AVE STE 1/ GRAND JUNCTION, CO 81 R. LYNN DEMPSEY, VP phone (303) 243-8418 account no. N 1090	1501 	ormer operator) (address)	PETRO-X CORPOR PO BOX 520205 SALT LAKE CITY DEAN CHRISTENS phone (801)46 account noN	, UT 84152 EN 7-7171
<pre>Hell(\$) (attach additional page if needed):</pre>				
Name: FEDERAL 3-037/MRSN Name: FEDERAL 7-037/DKTA Name: TNLAND FUELS 9-6/MRSN Name: TNLAND FUELS 9-5/MRSN Name: MUSTANG 3-1/MRSN API: 43-019 API: 43-019 API: 43-019 API: 43-019	9-30864 Entity:_ 9-30992 Entity:_ 9-31015 Entity:_ 9-31142 Entity:_ 9-31085 Entity:_ 9-31128 Entity:_ Entity:_	250 Sec 3 Tw 250 Sec 3 Tw 8218 Sec 9 Tw 9860 Sec 3 Tw	p <u>20\$</u> Rng <u>23E</u> Leas p <u>20\$</u> Rng <u>23E</u> Leas pRng Leas	e Type: <u>U-190</u> 37 e Type: <u>U-190</u> 37 e Type: <u>U-422</u> 23 e Type: <u>U-679</u> 1
OPERATOR CHANGE DOCUMENTATION				
1. (Rule R615-8-10) Sundry or oth operator (Attach to this form).	ner <u>legal</u> docum (Peg. 9-3-93) (Reals	mentation has	been received	from <u>former</u>
(Attach to this form). (Red 9-1-		tation has been	received from	<u>new</u> operator
3. The Department of Commerce has be operating any wells in Utah. I yes, show company file number:	is company regi	if the new oper stered with the	ator above is n state? (yes/n	ot currently o)If
4. (For Indian and Federal Hells (attach Telephone Documentation comments section of this form. changes should take place prior	n Form to this Management re to completion o	report). Mal view of F edera of steps 5 throu	ke note of BL l and Indian w gh 9 below.	M status in ell operator
5. Changes have been entered in the listed above. (9.10.93)				for each well
Lee 6. Cardex file has been updated for	each well list	ed above. (9-10-)	ī4)	
$\frac{1}{2}$ 7. Well file labels have been updat				
8. Changes have been included on to for distribution to State Lands	and the Tax Com	mission./g//s/92)	
9. A folder has been set up for the placed there for reference during	e Operator Char ng routing and p	nge file, and a processing of th	copy of this p e original docu	oage has been uments.

<u>.</u>
e F
f
a
r
n y h

• Form 3160-5 (November 1994)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0135 Expires July 31, 1996

BUREAU OF LAND MANAGEMENT

5. Lease Serial No. 11.

SUNDR'	Y NOTICES AND REPO	ORTS ON WELLS.		1 -5	ce Attached his
Do not use the abandoned we	6. If Indian	n, Allottee or Tribe Name			
SUBMIT IN TR	7. If Unit o	or CA/Agreement, Name and/or No.			
1. Type of Well Oil Wells A Gas Wells	Other Right-of-Wa	-y 3		8. Well Na	ame and No.
2. Name of Operator Falco	N ENERgy, LLC			9. API We	. , , ,
3a. Address 4103 So. 5001). Wall 84/2	3 801-2	de area code) 69-0701	10. Field an	d Pool, or Exploratory Area
4. Location of Well (Footage, Sec. See Att	T., R., M., or Survey Description	n)		11. County	or Parish, State
12. CHECK AP	PROPRIATE BOX(ES) T	O INDICATE NAT	URE OF NOTICE, R	EPORT, O	R OTHER DATA
TYPE OF SUBMISSION		7	YPE OF ACTION	<u>,</u>	
Notice of Intent	☐ Acidize ☐ Alter Casing	Deepen Fracture Treat	Production (Star	t/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete Temporarily At	undon	Other Change of
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Water Disposal	,andon	
Falson Ever Cooditions of lands or right Bond coverage	y, LLC is to and vig yy, LLC is the leases is-of-way or e for the we	for open	ey, ble under ations co. thereof.	who of the	ective 11/29/2000 The attached terms and ed on the bessed M Bord No. UT104
14. I hereby certify that the foregoin Name (Printed/Typed)	ng is true and correct Dougla.	s H. Powels Title	Many	er_	F58 08 2031
Signature A	Povelin	Date	12-6-6	0	DIVISION OF
	THIS SPACE	FOR FEDERAL OR	STATE OFFICE US	Property to well and the control of	
Approved by Ulluan	in Stringer	ine does not werent or		d Mana	
Conditions of approval, if any, are certify that the applicant holds leg- which would entitle the applicant to	al or equitable title to those fig	hts in the subject lease	ofDivision of F	esource	#5

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Falcon Energy, LLC Well Nos: List Attached Leases: List Attached Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Falcon Energy, LLC is considered to be the operator of the attached list of wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1049 (Principal - Falcon Energy, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Falcon Energy, LLC is already recognized as the operator of wells 9-3, 9-5 and 9-6 on lease UTU42223.

Falcon is already recognized as the operator of well 9-1, which is located on lease UTU75536; not UTU44440 as referenced on the attached list. Lease UTU75536 was created effective August 1, 1996, by segregation out of lease UTU44440, and is held by Great West Natural Gas of Grand Junction, Colorado.

Pursuant to a conversation between representatives of Falcon Energy, LLC and BLM, Falcon also assumes operations of well M6-130 on lease UTU58207.

The transfer of all rights-of-way will be addressed seperately, and are not included in this approval.

FAX NO. 8012592106

.5<u>9</u>2

\ <u>&</u>

P. 03

STATE OF OKLAHOMA

, SS:

COUNTY OF OKLAHOMA

On this 29th day of November, 2000, before me the undersigned notary public in and for the county and state aforesaid, personally appeared Janice D. Loyd, Trustee to me known to be the identical person who signed the name of the maker thereof to the to me known to be the identical person who signed the name of the maker thereof to the within and foregoing Instrument, as trustee of the estates of Saturn Resources, Inc., within and foregoing Instrument, as trustee of the estates of Saturn Resources, Inc., case number BK-97-15213-BH and Ray Lynn Dempsey, case number BK-99-16587-BH, case number BK-97-15213-BH and Ray Lynn Dempsey, case number BK-99-16587-BH, the use and purposes therein set forth.

Given under my hand and seal the day and year first above written.

Notary Public

My Commission Expires:

5-16-01

TRUSTEE'S DEED AND BILL OF SALE

This indenture, made this 29th day of November, 2000, between Janice D. Loyd as Trustee appointed for Saturn Resources, Inc., debtor in case number BK-97-15213-BH and Ray Lynn Dempsey, debtor in case number BK-99-16587-BH in the United States Bankruptcy Court for the Western District of Oklahoma, parties of the first part and Falcon Energy, L.L.C., 4103 S. 500 West, Salt Lake City, Utah, 84123, party of the second part, and pursuant to Rule 6004 of the Federal Rules of Bankruptcy Procedure authorize the execution of this document.

NOW THEREFORE, know ye that I, Janice D. Loyd, Trustee, by virtue of the power and authority in me vested, as aforesaid, and in consideration of the sum of Ten Dollars (\$10.00) and other valuable consideration, to me in hand paid, the receipt of which is hereby acknowledged, do hereby quit claim, grant, bargain, sell and convey unto the said party of the second part all my right, title, Interest, estate and every claim and demand, both at law and equity, in and to the following described property, free and clear of the known liens and encumbrances, to-wit:

See Exhibit "A" attached

together with all and singular tenements, hereditaments and appurtenances thereunto belonging.

To have and to hold the said above described premises unto party of the second part, its successors and assigns forever, so that neither Janice D. Loyd, Trustee, said party of the first part nor any person in her name or on her behalf, shall or will hereafter claim or demand any right or title to the said premises or any part thereof; that they and everyone of them shall by these presents be excluded and forever barred.

IN WITNESS WHEREOF, the party of the first part has hereunto set her hand and seal this 29th day of November, 2000.

JANICE D. LOYD, Trustee, and only as Trustee, of the Estate of Saturn Resources, Inc. BK-97-15213-BH and Ray Lynn Dempsey, BK-99-16587-BH

Bellingham, Collins & Loyd, P.C. 2050 Oklahoma Tower 210 Park Avenue Oklahoma City, Okla. 78102

FTB 6 8 280%

DIVISION OF OIL, CLAS AUD MINITIO

Lease #	Well Name	API Well #	Oil/Gas	Ownership
UTU-58207	Robin G 24-4 Robin G 24-1	430193126100S01 430193125500S01	Oil Gas	100% 100%
	M6-130	430193123300301 4301931346 T. 205, 7, 23 E.	Gas	10076
Wells on leases held		1. aD3. N. a3 E,		
75536	,			
75536 UTU -44440 *	TXO Springs 9-1 Sec. 9, T.	430193071300S01 205.₁R. 23 €.	Gas	75%
UTU-042223*	Inland Fuels 9-6	430193114200S01	Gas	50%
	Inland Fuels 9-5	430193108500S01	Gas	50%
	Cisco SS 9-3	430193104800S01 . T. 205., 2. 23 E	Gas	70%
UTU-6791**	Mustang 3-1 Sec 3, 7	430193112800S01 こ 205., R. ・23 E.	Oil/Gas	90%

^{*} Lessee of Record - Ambra Oil & Gas

^{**} Lessee of Record - Amoco

Listing of wells by lease, well name, API number, and percentage of well ownership by Saturn Resources and Ray Lynn Dempsey as reflected in Grand County Court, Utah, records.

	Lease #		<u>Well Name</u>	API Well #	Oil/Gas	Ownership
	Ownership - 1	Ray Ly	nn Dempsey			
	√UTU-012362-	В	Chase Grossman #1		Gas	100 %
	Ownership - S	Saturn	Sec. 31, T. 195 Resources	., K. Q7 E	,	
	UTU-30956	Sec. 9	MPD 9-2	430193121600S01	Oil	100%
			MPD 9-2B	430193128100S01	Gas	100 %
		Sec.10	MPD 10-2C T. 215. R. 23E.	430193127600S01	Gas	70 %
	UTU-30956A		Cisco Fed #1 Sec. 10, 7.215, 2. 6	430193047500S01 23E	Oil	100 %
	UTU-6355-B			430193011500S01	Gas	100%
			Fed 1-355-A	430193126500S01	Gas	100%
			Fed 3-355 Sec. 9. T. 205., R	430193012300S01 コュモ	Gas	100%
	UTU-011879-	A	Swanson Fed 31-72 Sec. 31, T. 205.	430191577100S01 R. 44 E	Gas	100%
	UTU-27403		Fed 30-88X	430193000600S01	Gas	100%
			Martha #4	430193121200S01	Gas	100%
			Martha #1 Sec- 30, 7, 205	430193102400S01 สิอ4 £ .	Gas	100%
	UTU-148172		MPD 15-2. Sec. 15, T. 215,	430193127700S01 R. 23 E.	Oil/Gas	100%
	UTU-17245-A		Fed Cisco #3 *	430193040400S01	Gas	100%
			Fed Cisco #1 Dec. 27, 7.2	430193045600S01 55.18.23E.	Oil/Gas	100%
	UTU-7623	Sec-24	Fed 24-1	430193051000S01	Gas	100%
		Sec. 8	Thompson Fed #8	430193014800S01	Gas	100%
		Sec. 25	Jacobs Fed 1-25	430193048600S01	Oil	80%
			Thompson 2-A 👃	430193118200S01	Gas	100%
		Sec. 13	Len 13-3	430193121700S01	Oil	100%
		Sa.24	Cisco Springs 24-3 %	430193117900S01	Gas	97%
		Sec. 24	Len 24-4 T. 205. R. 23E	430193122300S01	Gas	97%
\rightarrow	\UTU-1 73 09		W K #1	430193026600S01	Oil	100%
			W K #2	430193027000S01	Gas	100%
	1		W K #3	430193026700S01	Oil	100%
			W.K. 1-13	430193042000S01	Oil	100%
			1-14	430193029900S01	Oil	100%
			CP 1-5	430193067400S01	Gas	100%
			CP 1-4 -	430193067100S01	Oil	100%
			Sec. 1. T. 215.	K.23 E.		

OPERATOR CHANGE WORKSHEET

RO	U	T	T	١G	,

1400	
1. GLH /	4-KAS 🗸
2. CDW√	5-5470.
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:	11-29-2000
FROM: (Old Operator):	TO: (New Operator):
SATURN RESOURCES CORPORATION	FALCON ENERGY LLC
Address: P. O. BOX 372	Address: 55 SOUTH HIGHWAY 89
SPRINGBORO, OH 45066	NORTH SALT LAKE, UT 84054
Phone: 1-(937)-438-3243	Phone: 1-(801)-936-2222
Account N1090	Account N6710
CA N-	¥1

CA No.

Unit:

******		701
WE	м	.(S).

	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
MUSTANG 3-1	43-019-31128	9860	03-20S-23E	FEDERAL	GW	P
FEDERAL 3-037	43-019-30992	13039	03-20S-23E	FEDERAL	OW	P
CISCO SPRINGS 24-3	43-019-31179	571	24-20S-23E	FEDERAL	GW	S
LEN 24-4	43-019-31223	573	24-20S-23E	FEDERAL	GW	S
ROBIN G 24-1	43-019-31255	10837	24-20S-23E	FEDERAL	GW	P
ROBIN G 24-4	43-019-31261	10963	24-20S-23E	FEDERAL	GW	S
ROBERT S WEST WK 1	43-019-30266	566	01-21S-23E	FEDERAL	OW	S
WK 2	43-019-30270	566	01-21S-23E	FEDERAL	GW	S
WK 3	43-019-30267	566	01-21S-23E	FEDERAL	OW	S
WK 1-13	43-019-30420	566	01-21S-23E	FEDERAL	OW	S
W-KOLMAN FEDERAL 1-14	43-019-30299	566	01-21S-23E	FEDERAL	OW	S
CP 1-4	43-019-30671	566	01-21S-23E	FEDERAL	OW	P
CP 1-5	43-019-30674	566	01-21S-23E	FEDERAL	GW	S
CISCO FEDERAL 1	43-019-30475	8171	10-21S-23E	FEDERAL	GW	S
				ļ	<u> </u>	
		<u> </u>				
		1				

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:

02/08/2001

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on:

02/08/2001

3. The new company has been checked through the Department of Commerce, Division of Corporations Database on:

03/12/2001

4.	Is the new operator registered in the State of Utah:	YES	_Business Numb	eř:	2022926-0160
5.	If NO, the operator was contacted contacted on:		_		
6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian			(merge 06/2000	• •
7.	Federal and Indian Units: The BLM or BIA has a for wells listed on:	approved the	successor of ur	nit oper	rator
8.	Federal and Indian Communization Agreeme change for all wells listed involved in a CA on:		The BLM or t	he BIA	has approved the operator
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the v			Form 5,	Transfer of Authority to Inject,
D A	ATA ENTRY:				
1.	Changes entered in the Oil and Gas Database on:	03/13/2001			
2.	Changes have been entered on the Monthly Operator Ch	ange Spread St	neet on: <u>03/</u>	13/2001	_
3.	Bond information entered in RBDMS on:	N/A	_		
4.	Fee wells attached to bond in RBDMS on:	N/A	_		
ST	ATE BOND VERIFICATION:				
1.	State well(s) covered by Bond No.:	N/A			
FF	E WELLS - BOND VERIFICATION/LEASE	INTEREST	OWNER NO	ΓΙFIC	ATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed ha	is furnished a bo	nd:	N/A	makelon
	The FORMER operator has requested a release of liability The Division sent response by letter on:	from their bond	on:	N/A	<u> </u>
3.	(R649-2-10) The FORMER operator of the Fee wells has be of their responsibility to notify all interest owners of this ch		nd informed by a	letter fro N/A	om the Division
	LMING: All attachments to this form have been MICROFILMED	on: APR 25	2 5004		
	LING: ORIGINALS/COPIES of all attachments pertaining to each	ch individual wel	ll have been filled	in each	well file on:
CC	MMENTS:				

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER					5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY	 LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill r	th, reenter plugged wells, or to	7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL OIL WELL	aterals. Use APPLICATION F		hange of Op		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR: Running Foxes Petroleum	n Inc	N2195	·		9. API NUMBER:
3. ADDRESS OF OPERATOR:				PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
7060 B South Tucson 4. LOCATION OF WELL.	_Y Centennial	STATE CO ZIP	80112	(720) 377-0923	
FOOTAGES AT SURFACE:					COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RAN	NGE, MERIDIAN:	新教 的 人名			STATE: UTAH
11. CHECK APP	ROPRIATE BOXE	S TO INDICAT	F NATURE	OF NOTICE REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION	1			YPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: May 15, 2006 SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVI CHANGE TUBING CHANGE WELL NAI CHANGE WELL ST/ COMMINGLE PROD CONVERT WELL TO	ME ATUS DUCING FORMATIONS	RECLAMAT	TRUCTION CHANGE ABANDON	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:
12. DESCRIBE PROPOSED OR C	OMPLETED OPERATION	IS. Clearly show all pe	ertinent details ind	cluding dates, depths, volun	nes, etc.
Inc. for the attached well	ist. The BLM issu ederal Land and a	ed bond numbe III operations ha	r is UTB-000 ve been dee	0207 and the bond we med as satisfactory	gy LLC to Running Foxes Petroleum, was accepted on May 15, 2006. All v at this point. If there are any d.
NAME (PLEASE PRINT) Neil D. Sh	narp		TITL		1 .
SIGNATURE ALAT	H. (Sharf)		DAT	<u> 05/23</u>	/06
(This space for State use only) APPROVED	12/14/12	nD/a			RECEIVED
	101110				MAY 3 1 2006

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BURGALLOE LAND MANAGEMENT

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

BUREAU OF LAND MANAG		5. Lease Serial No. UTU 6791						
SUNDRY NOTICES AND REPORT Do not use this form for proposals to describe abandoned well. Use Form 3160-3 (APE	enter an	Indian, Allottee or Tribe Name						
SUBMIT IN TRIPLICATE- Other instruct	erse side. 7. If	Unit or CA/Agreement, Name and/or No.						
1. Type of Well Gas Well Other	8. V	Vell Name and No.						
2. Name of Operator RUNNING FOXES PETROLEUM, INC.	·	, I	MUSTANG					
The state of the s	. Phone No. (inclu		API Well No. 13019 - 3/1 2 8					
<u></u>	303-617-7242		Field and Pool, or Exploratory Area CISCO SPRINGS					
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SW SW SEC. 3 T20S - R23E	11. (11. County or Parish, State GRAND COUNTY, UTAH						
12. CHECK APPROPRIATE BOX(ES) TO INI	DICATE NATU	RE OF NOTICE, REPOR	T, OR OTHER DATA					
TYPE OF SUBMISSION	T	YPE OF ACTION						
E 3 3 a 3 c 4 c 5 c 5 c 5 c 5 c 5 c 5 c 5 c 5 c 5	Production (Start/Resu Reclamation Recomplete Temporarily Abandon	me) Water Shut-Off Well Integrity CHANGE OF OPERATOR						
Einel Abandanniant Matina	Plug and Abandon Plug Back	Water Disposal						
If the proposal is to deepen directionally or recomplete horizontally, gir Attach the Bond under which the work will be performed or provide the following completion of the involved operations. If the operation result esting has been completed. Final Abandonment Notices must be filed determined that the site is ready for final inspection.) RUNNING FOXES PETROLEUM, INC. IS TAKING OVE RUNNING FOXES PETROLEUM, INC. IS RESPONSIBLE OPERATIONS CONDUCTED ON THE LEASED LANDS BOND COVERAGE FOR THIS WELL SILL BE PROVIDE EFFECTIVE DATE: 5/15/2006	te Bond No. on file tts in a multiple con only after all requi R OPERATION E UNDER THE OR PORTIONS	with BLM/BIA. Required subscipletion or recompletion in a new rements, including reclamation, has been subscipled by the subscience of the	equent reports must be filed within 30 days interval, a Form 3160-4 must be filed once ave been completed, and the operator has ONED WELL(S).					
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) GREG SIMONDS	Title	V.P. OPERATIONS						
Signature		05/30/2006						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by ACCEPTED	Tilleivision of Resour	Division of Resources Date 6/12/06						
Conditions of approval, if any, are attached. Approval of this notice does certify that the applicant holds legal or equitable title to those rights in the which would entitle the applicant to conduct operations thereon.	Moab Field Office	J. 100						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Running Foxes Petroleum, Inc. Well No. 3-1 Section 3, T20S, R23E Lease UTU6791 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Running Foxes Petroleum, Inc. is considered to be the operator of the above well effective May 15, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UTB000207 (Principal – Running Foxes Petroleum, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL OTHER Change of Operator OIL WELL GAS WELL | 2. NAME OF OPERATOR: 9. API NUMBER: Falcon Energy LLC 3. ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: CITY Fruita 1383 Bridal Path Court STATE CO ZIP 81521 (970) 234-8095 4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: Grand STATE: OTR/OTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **UTAH** CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF ACTION TYPE OF SUBMISSION REPERFORATE CURRENT FORMATION DEEPEN ACIDIZE $oldsymbol{
olimits}$ NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON OPERATOR CHANGE TURING REPAIR 5/15/2006 CHANGE TO PREVIOUS PLANS

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

COMMINGLE PRODUCING FORMATIONS

CHANGE TUBING

CHANGE WELL NAME

CHANGE WELL STATUS

CONVERT WELL TYPE

This is to inform the State of Utah that there will be a change of operator from Falcon Energy LLC to Running Foxes Petroleum, Inc. for the attached well list. The BLM issued bond number is UTB-000207 and the bond was accepted on May 15, 2006. All wells and leases are on Federal Land and all operations have been deemed as satisfactory at this point. If there are any questions or information needed please contact our office and all inquiries will be addressed.

PLUG AND ABANDON

PRODUCTION (START/RESUME)

RECLAMATION OF WELL SITE

RECOMPLETE - DIFFERENT FORMATION

PLUG BACK

NAME (PLEASE PRINT) WAYNE STOUT	TITLE Marages
SIGNATURE Wayne O Stont	DATE

(This space for State use only)

(5/2000)

SUBSEQUENT REPORT

Date of work completion:

(Submit Original Form Only)

APPROVED <u>1211412006</u>

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED DEC 07 2006

VENT OR FLARE

WATER DISPOSAL

WATER SHUT-OFF

OTHER:

DIV. OF OIL, GAS & MINING

FALCON ENERGY LLC (N6710) TO RUNNING FOXES PETROLEUM, INC (N2195)

well name	sec	twp	rng	api	entity	lease	well	stat	qtr_qtr	1 num	op no
CHASE GROSSMAN 1	31	190S		4301915014	<u> </u>	Federal			SENE	UTU-012362B	N6710
SWANSON FEDERAL UTI 31-72		200S		4301915771		Federal			NENE	UTU-011879A	N6710
FEDERAL 30-88X	30	200S		4301930006		Federal		S	SESE	UTU-027403	N6710
FEDERAL 1-355	09	200S	da a an a	4301930115	L	Federal		Р	SENE	UTU-6355B	N6710
FEDERAL 3-355	09			4301930123		Federal		S	NENE	UTU-6355B	N6710
THOMAS FED 8	13		Particle Property States	4301930148		Federal	MARKET AND LOSS ASSESSMENT	S	NESE	UTU-7623	N6710
ROBERT S WEST WK 1	01			4301930266		Federal		P	SWSW	UTU-17309	N6710
WK 3	01		.1	4301930267		Federal		s	SWNW	UTU-17309	N6710
WK 2	01	ALCOHOLOGICA CONTRACTOR	<u> </u>	4301930270		Federal		S	SWSE	UTU-17309	N6710
W-KOLMAN FED 1-14	01			4301930299	A company of the contract of	Federal		S	SWNE	UTU-17309	N6710
JACOBS 1	13	200S		4301930378		Federal		Р	SWSW	UTU-7945	N6710
CISCO 3	27		L	4301930404		Federal		s	NENW	UTU-17245A	N6710
WK 1-13	01			4301930420		Federal		S	SESW	UTU-17309	N6710
FED CISCO 1	27			4301930456		Federal		S	SENE	UTU-17245A	N6710
FEDERAL LANSDALE 3	29			4301930458		Federal		P	SWNE	UTU-7218	N6710
CISCO FEDERAL 1	10			4301930475		Federal		P	SWSE	UTU-30956A	N6710
JACOBS FED 1-25	25	200S		4301930486	and the second second second second	Federal	1	P	SENW	UTU-7623	N6710
FEDERAL 24-1	24	200S		4301930510	4	Federal		s	SESW	UTU-7623	N6710
PETRO FED 15-3	15			4301930523		Federal		S	SENE	UTU-75141	N6710
PETRO 15-5-80A	15	210S	1	4301930611		Federal	4	Р	NWNE	UTU-75141	N6710
CP 1-4	01	210S		4301930671	4	Federal	l		SESW	UTU-17309	N6710
CP 1-5	01	210S	L	4301930674		Federal	4	PA	SESW	UTU-17309	N6710
FEDERAL 2-037	03			4301930864		Federal			SESW	UTU-19037	N6710
KATHY 1	24		1	4301930906	ļ	Federal	l		NWSE	UTU-15049	N6710
HOPE 2	24		l	4301930907		Federal			NWNE	UTU-17610	N6710
NICOL 1	24		L	4301930908		Federal		S	SWSE	UTU-75894	N6710
HOPE 4	24			4301930909		Federal			NENE	UTU-17610	N6710
FEDERAL 3-037	03		L	4301930909		Federal			SESW	UTU-19037	N6710
FED PIONEER 2A	13	200S	term to the second seco	4301930993		Federal			SESW		N6710
FEDERAL 7-037	03			4301931015		Federal			SWSE	UTU-19037	N6710
MARTHA 1	30			4301931024		Federal			NWNW	UTU-027403	N6710
CISCO SS 15-8	15	·		4301931052		Federal	<u></u>	******	NWSE	UTU-64270	N6710
CISCO SPRINGS B 1	15			4301931065		Federal			NESE	UTU-62845	N6710
CISCO SPRINGS A 1	09			4301931076		Federal			NWNE	UTU-62845	N6710
CISCO SPRINGS B 2	15			4301931115		Federal			NESE	UTU-62845	N6710
MUSTANG 3-1	03			4301931128		Federal		<u></u>		UTU-6791	N6710
CISCO SPRINGS 24-3	24			4301931179		Federal		•	NESW	UTU-7623	N6710
THOMAS 2A	13			4301931182		Federal			SWSE	UTU-7623	N6710
MARTHA 4	30			4301931212	4	Federal			SWNW	UTU-027403	N6710
M P D 9-2				4301931216		Federal		·	NESE	UTU-30956	N6710
LEN 13-3	13			4301931217		Federal			SESE	UTU-7623	N6710
LEN 24-4	24			4301931223		Federal			NWSW	UTU-7623	N6710
ROBIN G NO 24-1	24			4301931255		Federal			SENW	UTU-58207	N6710
ROBIN G 24-4	24		[4301931261		Federal			SENW	UTU-58207	N6710
FEDERAL 1-355A	09			4301931265	4	Federal			SENE	UTU-6355B	N6710
MPD 10-2C	10			4301931276		Federal			NWSW	UTU-30956	N6710
MPD 15-2	15			4301931277		Federal	·		SENW	UTU-0148172	N6710
MPD 9-2B	09			4301931281		Federal			NWSE	UTU-30956	N6710
M6-130	24			4301931346		Federal			SENW	UTU-58207	N6710
POWELSON 1	24		1	4301931374		Federal			SESE	UTU-75984	N6710
STOUT 2	24	A	1	4301931375		Federal			NESE	UTU-75984	N6710
ROBERTS 1	24		·	4301931376		Federal			SESE	UTU-75894	N6710
I CODENTO 1	<u>~ T</u>	,2000		1.001001010		. Gaorai		·			1. 10. 10

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING				
1. DJJ				
2. CDW				

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	5/15/2006
FROM: (Old Operator):	TO: (New Operator):
N6710-Falcon Energy, LLC	N2195-Running Foxes Petroleum, Inc.
1137 19 Rd	7060 B S. Tucson
Fruita, CO 81521-9678	Centennial, CO 80112
Phone: 1 (970) 858-8252	Phone: 1 (720) 377-0923
CA No.	Unit:
ODED ATOD CHANCES DOCUMENTATION	
OPERATOR CHANGES DOCUMENTATION	
Enter date after each listed item is completed1. (R649-8-10) Sundry or legal documentation was received from the	e FORMER operator on: 12/7/2006
2. (R649-8-10) Sundry or legal documentation was received from the	
	<u> </u>
3. The new company was checked on the Department of Commerce	·
	Business Number: 6097088-0143
	requested 12/18/06
6b. Inspections of LA PA state/fee well sites complete on:	n/a
6c. Reports current for Production/Disposition & Sundries on:	
7. Federal and Indian Lease Wells: The BLM and or the B	
or operator change for all wells listed on Federal or Indian leases of	on: <u>BLM</u> 6/19/2006 <u>BIA</u>
8. Federal and Indian Units:	
The BLM or BIA has approved the successor of unit operator fo	r wells listed on: <u>n/a</u>
9. Federal and Indian Communization Agreements ("	'CA"):
The BLM or BIA has approved the operator for all wells listed v	
10. Underground Injection Control ("UIC") The D	ivision has approved UIC Form 5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal well(s) listed on: <u>n/a</u>
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	12/14/2006
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on: 12/14/2006
3. Bond information entered in RBDMS on:	<u>n/a</u>
4. Fee/State wells attached to bond in RBDMS on:	n/a
5. Injection Projects to new operator in RBDMS on:	n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
BOND VERIFICATION:	
Federal well(s) covered by Bond Number:	UTB000207
2. Indian well(s) covered by Bond Number:	n/a
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	y Bond Number n/a
a. The FORMER operator has requested a release of liability from the	eir bond on: n/a
The Division sent response by letter on:	n/a
LEASE INTEREST OWNER NOTIFICATION:	
4. (R649-2-10) The FORMER operator of the fee wells has been con-	tacted and informed by a letter from the Division
of their responsibility to notify all interest owners of this change on	n: n/a
COMMENTS:	
Two wells remain in dispute regarding leases and were not moved - 43	01930713 TXO Springs 9-1 and 4301931284 FZ 22-3

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR

OM B No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No.

BUREAU OF LAND MANAGEMENT UTU-6791 SUNDRY NOTICES AND REPORTS ON WELLS If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE- Other instructions on reverse side. 1. Type of Wel Öil Well ✓ Gas Well Other 8. Well Name and No. Mustang 3-1 2. Name of Operator Running Foxes Petroleum API Well No. 43-019-311-28-00-00 3b. Phone No. (include area code) 3a Address 720-889-0510 7060 B South Tucson Way Centennial, CO 80112 10. Field and Pool, or Exploratory Area **Greater Cisco** 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State SW SW 660' fsl & 660' fwl S3 T20S R23E Grand County, Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT. OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Acidize Production (Start/Resume) Water Shut-Off Deepen Notice of Intent Well Integrity Alter Casing Fracture Treat Reclamation Casing Repair New Construction Recomplete Other Subsequent Report Change Plans Temporarily Abandon Plug and Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) This sundry is to inform the BLM that Running Foxes Petroleum has resumed production (03/01/07) on the aforementioned well. If any further information is required please contact Running Foxes Petroleum via the contact information listed. 14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Neil D. Sharp Title Geologist Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE Date Title Approved by

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Office

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

MAY 0 6 2008 DIV. OF OIL, GAS & MINING (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED	
OMB No. 1004-0137	
Expires: July 31, 2010	

SUNDRY NOTICES AND REPORTS ON WELLS

UTU-6791	
6. If Indian, Allottee or Tribe Name	

Do not use this t abandoned well.	form for proposals t Use Form 3160-3 (A	o drill or to PD) for suc	re-enter an ch proposals	5.	,	
SUBMI	T IN TRIPLICATE – Other		7. If Unit of CA/Agree	ment, Name and/or No.		
1. Type of Well				-	8. Well Name and No.	
Oil Well Gas V	Vell Other		Mustang 3-1			
2. Name of Operator Running Foxes Petroleum, Inc.					9. API Well No. 43-019-31128	
3a. Address		3b. Phone No.	(include area cod	le)	10. Field and Pool or E	xploratory Area
6855 S. Havana St Ste 400 Centennial, CO 80112	720-889-0510)		Greater Cisco		
4. Location of Well <i>(Footage, Sec., T.,</i> 660' FSL & 660' FWL SW SW Sec 3 T20S R23E 6th PM	R.,M., or Survey Description,)			11. Country or Parish, S Grand County, Utah	State
12. CHEC	CK THE APPROPRIATE BO	X(ES) TO IND	ICATE NATURE	OF NOTIC	E, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION			TYF	PE OF ACTI	ON	
✓ Notice of Intent	=	en ure Treat Construction	Recla	ction (Start/Resume) nation nplete	Water Shut-Off Well Integrity Other	
Subsequent Report	Casing Repair Change Plans	=	and Abandon	=	orarily Abandon	Other
Final Abandonment Notice	Convert to Injection	Plug l		_ `	Disposal	
testing has been completed. Final determined that the site is ready fo 6/7/2013 This Sundry notice is to inform the E1. Working with Eric Jones and Jef 2. Tag bottom with work string or si 3. Trip out rods and tubing. 4. Set CIBP at 1958' 5. Spot a 4sx plug on top 6. Circulate 9# mud 7. Cut casing at 220' 8. Pump a surface cement, plug frog 9. Cut casing and weld P&A marke 10.Restore location, reclaim surface	r final inspection.) BLM that Running Foxes P f Brown, notify the BLM Mo ick line to verify TD. Lowe om 220' to surface. r.	etroleum, Inc. onticello Field (est perfsare at	is proposing to p Office at 435-587 2,016. COPY Date: Initials	olug and ab 7-1525 or M	andon the Mustang 3 fr. Brown's cell phone OPERATOR 2.2013	8-1. The procedure is as follows:
CC: UT DOGM						
14. I hereby certify that the foregoing is t Rolando D. Benavides	rue and correct. Name (Printed	d/Typed)				
			Title VP Engin	eering		
Signature	movel		Date 06/07/20	13		ASS DOLLAR
	THIS SPACE	FOR FEDE	RAL OR STA	ATE OFF	ICE USE	
Approved by Conditions of approval, if any, are attached that the applicant holds legal or equitable tentitle the applicant to conduct operations	itle to those rights in the subject thereon.	ct lease which wo	ould Office	et- E.	Action I	popoval Of This s Necessary
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a	crime for any pe	rson knowingly an	d willfully to	make to any department	or agency of the United States any false

(Instructions on page 2) & Marimum 100' (85x) Show (d be placed on CIBPE 1958' as required by R649-3-24-3.2 Plug#2 Should be 50' inside 5tub (270') to surface as required by R649-3-24-3.8

Lease #: UTU 6791 Entity #: 9860 Mustang 3-1 SW SW Sec 3 T20S R23E Elevation: 4884' GL 43-019-31128

Spud: April 30, 1984 Complete: May 5, 1984 170' of 7 5/8" (26.4#); 75 sacks of Class H cement

-Cut casing at 220'

Proposed P&A Procedure

- 1. Trip out rods and tubing
- 2. Set CIBP at 1958'
- 3. Spot a 4sx plug on top
- 4. Circulate 9# mud
- 5. Cut casing at 220'
- 6. Pump a surface cement, plug from 220' to surface.

2340' of 4 ½" (10.5#); 105 sacks of cement

TOC unknown

Set CIBP at 1958'

2 3/8" (4.7#, J55) tubing ran to 1826' GL

Perforations: (Jmbb 1a) 2,008'- 2,016' GL (2 spf); 30 bbl KCL stimulation

TD: 2380' GL

PBTD: 2340' GL (Workover tagged @ 2285' GL/CBL 2296' GL (CIBP?)

Updated 6/7/2013 BP

Zone: J Morrison-Brushy Basin

IP: 275 mcfd Total Oil: 0 bbl

Total Gas: 45,105 mcf

Total Water: 0 bbl

GOR:

API/Gravity: